

wilson

Refresh™

UNDER BENCH BOILING AND
CHILLED WATER SYSTEM




We're at your service.
SINCE 1930

wilson
HOT WATER

It's all at your finger tips...

The [redacted] is fitted with a 5 micron filter that minimises chlorine taste and odour that can affect the taste of water and beverages. The filter also reduces lime scale build up that can lead to increased maintenance costs... a bonus for facility managers. An automatic 'filter change' LED light indicates when a filter change is required with the replacement effortless due to a simple twist and turn bayonet design.




The solid brass, chrome plated tap is stylish in design with an easy to clean finish while the electronic touch pad makes for simple operation. Programming of the tap is uncomplicated and achieved via the touch pad. A programmable safety interlock function is fitted. The automatic 'sleep mode' powers the boiling water down to 65°C when lights are switched off and the unit has not been in use for 1 hour. The tap is manufactured with the highest quality materials, backed by solid engineering then delivering reliability and low cost maintenance.




- 12 month warranty
- Specifications are subject to change without notification





W120B/125C



W90B/125C



W90B/65C



Note for installation:

- Units can be swapped left to right or rotated to suit installation, but side marked FRONT on chillers must have free space to circulate air. A door vent (supplied) or other alternative ventilation is required for the chiller.
- Ideally the 125C chiller grille must face directly into supplied door vent or other ventilation.
- Two supplied flexible hoses join the chiller to the boiler (for hot/ambient models the 2 connections on the boiler are bridged with a flexible hose)
- Ideally a twin 240VAC 10A powerpoint is installed in the underbench area.
- A tray must be used to contain both chiller and boiler for the leak detector cutout to operate.
- 5 micron water filter is housed in boiler
- Optional tray sizes available

12 month warranty.

Specifications are subject to change without notification.

wilson
HOT WATER